

# Deckblatt zum Sicherheitsdatenblatt

überarbeitet am 28.11.2018 /ersetzt Version vom --.--

Auf diesem Deckblatt sind nur die für die Schweiz notwendigen Ergänzungen angegeben. Für die vollständigen Angaben müssen die Angaben jedes Abschnitts in dem anschliessenden Sicherheitsdatenblatt gelesen werden!

---

## Produktidentifikation:

Handelsname	<b>ONNO REEDDIFFUSER – MUSE</b>
Verwendungszweck	Airfreshner Dispenser

---

## Lieferant, der das Sicherheitsdatenblatt übermittelt:

Fitness-Partner AG  
Wiesentalstrasse 14  
CH-9425 Thal  
Tel. 071 898 40 00 / info@fitpa.ch

**Nationale Notfallnummer:** **145** (24h erreichbar, Tox Info Suisse, Zürich; für Anrufe aus der Schweiz, Auskünfte auf Deutsch, Französisch und Italienisch)

---

## Informationen für die Verwender betreffend:

### Abschnitt 7

*Keine Ergänzungen zum Sicherheitsdatenblatt*

### Abschnitt 8

*Keine Ergänzungen zum Sicherheitsdatenblatt*

### Abschnitt 13

*Hinweise zur Entsorgung:  
Verordnung über den Verkehr mit Abfällen vom 01. November 2011 (VeVA)  
VeVA-Code: 20 01 13 S Lösungsmittel*

### Abschnitt 15

*Keine Ergänzungen zum Sicherheitsdatenblatt*

Deckblatt erstellt: 27.01.2025

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/28/2018 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : REFILL 500 ML MUSE  
Product code : ONR500M

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Airfreshner dispenser

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Cardiff  
Grote Steenweg 193  
9870 Zulte - Belgique  
T +32 9 388 41 21  
[ilse@cardiffnv.be](mailto:ilse@cardiffnv.be)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	-

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225  
Eye Irrit. 2 H319  
Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.  
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, face protection, protective clothing, protective gloves.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P501 - Dispose of contents/container to an authorised waste collection point.

EUH-statements :

EUH208 - Contains reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one(68155-66-8, 54464-57-2, 68155-67-9), caryophyllene(87-44-5). May produce an allergic reaction.

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	70 - 85	Flam. Liq. 2, H225 Eye Irrit. 2, H319
reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	(CAS-No.) 68155-66-8, 54464-57-2, 68155-67-9 (EC-No.) 915-730-3 (REACH-no) 01-2119489989-04	0.5 - 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410
Diethyl phthalate substance with national workplace exposure limit(s) (GB)	(CAS-No.) 84-66-2 (EC-No.) 201-550-6 (REACH-no) 01-2119486682-27	0.1 - 0.5	Not classified
caryophyllene	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	0.1 - 0.5	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
2-methylpropan-2-ol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 75-65-0 (EC-No.) 200-889-7 (EC Index-No.) 603-005-00-1 (REACH-no) 01-2119444321-51	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H336 STOT SE 3, H335

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) Eye Irrit. 2, H319

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. If possible show this sheet, if not available show packaging or label.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: In case of inhalation of high concentrations : Headache, Nausea.
Symptoms/effects after skin contact	: Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: CNS depression. Nausea. Vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO <sub>2</sub> ). Water spray. Chemical powder. Alcohol resistant foam.
Unsuitable extinguishing media	: High volume water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Highly flammable liquid and vapour.
-------------	---------------------------------------

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Explosion hazard : Explosive vapour/air mixtures may be formed. Vapours are heavier than air and may spread along floors.
- Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide.

### 5.3. Advice for firefighters

- Precautionary measures fire : Contain the extinguishing fluids by bunding (the product is hazardous for the environment). Cool down the containers exposed to heat with a water spray.
- Firefighting instructions : Do not dispose of fire-fighting water in the environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Avoid contact with skin, eyes and clothing. Do not breathe vapours. Evacuate unnecessary personnel. In case of important spillage : Mark out the contaminated area with signs and prevent access to unauthorized personnel. Ventilate spillage area. Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not allow product to spread into the environment. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite, kieselguhr, powdered limestone.
- Methods for cleaning up : Wash non-recoverable remainder with large amounts of water. Recover the cleaning water for later disposal. Use only non-sparking tools.
- Other information : Dispose of contaminated materials in accordance with current regulations.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Do not breathe vapours. Avoid the build-up of electrostatic charge. Ground/bond container and receiving equipment. Do not smoke. No flames, no sparks. Eliminate all sources of ignition. Do not use compressed air to transfer, discharge or transport the product. Handle empty containers with care because residual vapours are flammable.
- Hygiene measures : Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. If on skin, take off contaminated clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside.
- Storage conditions : Store in a cool, well-ventilated place. Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition. Protect from heat and direct sunlight. Proper grounding procedures to avoid static electricity should be followed.
- Incompatible materials : Strong acids. Strong bases. Strong oxidizing agents.
- Packaging materials : Original packaging.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethanol (64-17-5)		
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Diethyl phthalate (84-66-2)		
United Kingdom	Local name	Diethyl phthalate
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
2-methylpropan-2-ol (75-65-0)		
United Kingdom	Local name	2-Methylpropan-2-ol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	462 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	150 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. Breakthrough time : refer to the recommendations of the supplier

#### Eye protection:

Sealed safety goggles

#### Skin and body protection:

Protective clothing

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: perfumed.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: < 23 °C (estimated value)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Explosive vapour/air mixtures may be formed.
Oxidising properties	: Non oxidizing material according to EC criteria.

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

### 10.4. Conditions to avoid

Heat. Heat sources. Direct sunlight. Avoid the build-up of electrostatic charge.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity	: Not classified (Based on available data, the classification criteria are not met)
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

**reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (68155-66-8, 54464-57-2, 68155-67-9)**

LC50 fish	1.3 mg/l/96h (Lepomis macrochirus)(OECD 203 method)
EC50 Daphnia	1.38 mg/l/48 h (Daphnia magna) (OECD 202 method)
ErC50 (algae)	> 2.6 mg/l/72 h (Scenedesmus subspicatus) (OECD 201 method)
NOEC (chronic)	0.028 mg/l/ 21 days (Daphnia magna)(OECD 211 method)
NOEC chronic fish	0.16 mg/l 30 days(OECD 210 method)
NOEC chronic algae	2.6 mg/l/72 h (Desmodesmus subspicatus)(OECD 201 method)

### **caryophyllene (87-44-5)**

EC50 Daphnia	> 0.17 mg/l/48 h (Daphnia magna)(OECD 202 method)
ErC50 (algae)	> 0.033 mg/l/72 h (Pseudokirchneriella subcapitata)(OECD 201 method)
NOEC chronic algae	>= 0.033 mg/l/72 h (Pseudokirchneriella subcapitata)(OECD 201 method)

### 12.2. Persistence and degradability

**reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (68155-66-8, 54464-57-2, 68155-67-9)**

Persistence and degradability	Not readily biodegradable. (OECD 301C method).
-------------------------------	--

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one (68155-66-8, 54464-57-2, 68155-67-9)

BCF	≈ 600
Bioaccumulative potential	Potentially bioaccumulable.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of in accordance with relevant local regulations.  
Additional information : Empty the packaging completely prior to disposal. The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
1993	1993	1993	1993	1993
<b>14.2. UN proper shipping name</b>				
FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	Flammable liquid, n.o.s. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1  
Special provisions (ADR) : 274, 601, 640C  
Limited quantities (ADR) : 11  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T7  
Portable tank and bulk container special provisions (ADR) : TP1, TP8, TP28  
Tank code (ADR) : L1.5BN  
Vehicle for tank carriage : FL  
Transport category (ADR) : 2  
Special provisions for carriage - Operation (ADR) : S2, S20  
Hazard identification number (Kemler No.) : 33

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates

:



Tunnel restriction code (ADR)

: D/E

EAC code

: •3YE

### - Transport by sea

Special provisions (IMDG)

: 274

Packing instructions (IMDG)

: P001

IBC packing instructions (IMDG)

: IBC02

Tank instructions (IMDG)

: T7

Tank special provisions (IMDG)

: TP1, TP8, TP28

EmS-No. (Fire)

: F-E

EmS-No. (Spillage)

: S-E

Stowage category (IMDG)

: B

MFAG-No

: 127

### - Air transport

PCA Excepted quantities (IATA)

: E2

PCA Limited quantities (IATA)

: Y341

PCA limited quantity max net quantity (IATA)

: 1L

PCA packing instructions (IATA)

: 353

PCA max net quantity (IATA)

: 5L

CAO packing instructions (IATA)

: 364

CAO max net quantity (IATA)

: 60L

Special provisions (IATA)

: A3

ERG code (IATA)

: 3H

### - Inland waterway transport

Classification code (ADN)

: F1

Special provisions (ADN)

: 274, 601, 640C

Limited quantities (ADN)

: 1 L

Excepted quantities (ADN)

: E2

Carriage permitted (ADN)

: T

Equipment required (ADN)

: PP, EX, A

Ventilation (ADN)

: VE01

Number of blue cones/lights (ADN)

: 1

### - Rail transport

Classification code (RID)

: F1

Special provisions (RID)

: 274, 601, 640C

Limited quantities (RID)

: 1L

Excepted quantities (RID)

: E2

Packing instructions (RID)

: P001

Mixed packing provisions (RID)

: MP19

Portable tank and bulk container instructions (RID)

: T7

Portable tank and bulk container special provisions (RID)

: TP1, TP8, TP28

Tank codes for RID tanks (RID)

: L1.5BN

Transport category (RID)

: 2

Colis express (express parcels) (RID)

: CE7

Hazard identification number (RID)

: 33

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# REFILL 500 ML MUSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources : SDS of suppliers. ECHA - European Chemicals Agency.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one(68155-66-8, 54464-57-2, 68155-67-9), caryophyllene(87-44-5). May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	Expert judgment
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*